Date: 16/12/2019 Page 1/9

Revision: N°6 (30/11/2016)



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: HE MENTHE PIPERITA INDE / PEPPERMINT OIL INDIA

Product code: MENPI100328.

1.2. Relevant identified uses of the substance or mixture and uses advised against

INDUSTRIAL USE ONLY

PERFUMERY, COSMETIC, FOOD

Use descriptor system (REACH):

Registration number: 01-2119974601-36-XXXX, (EINECS: 282-015-4; Peppermint, ext.)

1.3. Details of the supplier of the safety data sheet

Registered company name: ELIXENS FRANCE SAS.

Address: Eco site de Eurre, 428 rue Brunelle.26400.EURRE.FRANCE.

Telephone: 33 (0)4 75 83 41 31. Fax:. contact.elixensfrance@elixens.com

www.elixens.com

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1B (Skin Sens. 1B, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This substance does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:





GHS07

GHS09

Signal Word:

WARNING

Product identifiers:

EC 237-926-1 L-MENTHONE
EC 207-431-5 EUCALYPTOL
EC 207-727-4 D,L-ISOMENTHONE
EC 227-815-6 L-LIMONENE
EC 204-872-5 BETA-PINENE
EC 201-291-9 ALPHA-PINENE
EC 209-578-0 TERPINOLENE

Hazard statements:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°8 (16/12/2019) ELIXENS FRANCE SAS

HE MENTHE PIPERITA INDE / PEPPERMINT OIL INDIA - MENPI100328

Date: 16/12/2019 Page 2/9

Revision: N°6 (30/11/2016)

Precautionary statements - Prevention :

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Response:

P302 + P352 IF ON SKIN: Wash with plenty of water/...

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Precautionary statements - Disposal:

P501 Dispose of contents/container with local regulations

2.3. Other hazards

The substance does not fulfil the PBT or vPvP criteria in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Composition:

Composition:			
Identification	(EC) 1272/2008	Note	%
INDEX: I2216_51_5	GHS07		25 <= x % < 50
CAS: 2216-51-5	Wng		
EC: 218-690-9	Eye Irrit. 2, H319		
	Skin Irrit. 2, H315		
L-MENTHOL	,		
INDEX: I14073_97_3	GHS07		10 <= x % < 25
CAS: 14073-97-3	Wng		
EC: 237-926-1	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
L-MENTHONE	,		
INDEX: I_HYDROC	GHS08		2.5 <= x % < 10
	Dgr		
HYDROCARBONS	Asp. Tox. 1, H304		
INDEX: I16409_45_3	GHS09		2.5 <= x % < 10
CAS: 16409-45-3	Aquatic Chronic 2, H411		2.5 · A /0 · 10
EC: 240-459-6	riquate enronic 2, 11111		
20.210 137 0			
MENTHYL ACETATE (ISOMER			
UNSPECIFIED)			
INDEX: 1470_82_6	GHS02, GHS07		2.5 <= x % < 10
CAS: 470-82-6	Wng		2.5 <- X /0 < 10
EC: 207-431-5	Flam. Liq. 3, H226		
EC. 207-431-3	Skin Sens. 1B, H317		
EUCALYPTOL	Skiii Sciis. 1B, 11317		
INDEX: I491_07_6	GHS07		2.5 <= x % < 10
CAS: 491-07-6	Wng		2.5 <- X /0 < 10
EC: 207-727-4	Skin Irrit. 2, H315		
EC. 201-121-4	Skin Sens. 1B, H317		
D,L-ISOMENTHONE	John Sens. 1B, 11317		
INDEX: I494_90_6	GHS07, GHS09		2.5 <= x % < 10
CAS: 494-90-6	Wng		2.5 <- X /0 < 10
EC: 207-795-5	Acute Tox. 4, H302		
EC. 201-175-5	Eye Irrit. 2, H319		
4,5,6,7-TETRAHYDRO-3,6-DIMETHYLBENZ			
OFURAN	Aquatic Chronic 2, H411		
INDEX: I601029007B	GHS08, GHS02, GHS07, GHS09		$0 \le x \% \le 2.5$
CAS: 5989-54-8	Dgr		0 <- x /0 < 2.3
EC: 227-815-6	Asp. Tox. 1, H304		
LC. 221-013-0	Flam. Liq. 3, H226		
L-LIMONENE	Skin Irrit. 2, H315		
E-PHAIOMPIAE	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		

Date : 16/12/2019 Page 3/9 Revision : N°6 (30/11/2016)

INDEX: I87_44_5	GHS08		$0 \le x \% \le 2.5$
CAS: 87-44-5	Dgr		0 4 11 70 4 218
EC: 201-746-1	Asp. Tox. 1, H304		
BETA-CARYOPHYLLENE			
INDEX: 189_82_7	GHS07		0 <= x % < 2.5
CAS: 89-82-7	Wng		$0 \le x / 0 \le 2.3$
EC: 201-943-2	Acute Tox. 4, H302		
EC: 201-943-2	Acute 10x. 4, H302		
PULEGONE			
INDEX: I127_91_3	GHS08, GHS02, GHS07, GHS09	[1]	$0 \le x \% \le 2.5$
CAS: 127-91-3	Dgr		
EC: 204-872-5	Flam. Liq. 3, H226		
	Asp. Tox. 1, H304		
BETA-PINENE	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
INDEX: I80_56_8	GHS08, GHS02, GHS07, GHS09	[1]	$0 \le x \% < 2.5$
CAS: 80-56-8	Dgr		
EC: 201-291-9	Asp. Tox. 1, H304		
	Flam. Liq. 3, H226		
ALPHA-PINENE	Skin Irrit. 2, H315		
	Skin Sens. 1B, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
INDEX: I586_62_9	GHS08, GHS07, GHS09		$0 \le x \% \le 2.5$
CAS: 586-62-9	Dgr		
EC: 209-578-0	Asp. Tox. 1, H304		
	Skin Sens. 1B, H317		
TERPINOLENE	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
INDEX: I79_92_5	GHS02, GHS07, GHS09		0 <= x % < 2.5
CAS: 79-92-5	Wng		
EC: 201-234-8	Eye Irrit. 2, H319		
	Flam. Sol. 2, H228		
CAMPHENE	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
INDEX: I20125_84_2	GHS07, GHS09		$0 \le x \% < 2.5$
CAS: 20125-84-2	Wng		2.70 - 2.3
EC: 243-533-6	Acute Tox. 4, H332		
	Acute Tox. 4, H302		
CIS-3-OCTEN-1-OL	Eye Irrit. 2, H319		
CIO 3-OCILIV-I-OL	Skin Irrit. 2, H315		
	Aquatic Acute 1, H400		
	M Acute = 1		
	171 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

Date: 16/12/2019 Page 4/9

Revision: N°6 (30/11/2016)

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet
- water

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

Date: 16/12/2019 Page 5/9

Revision: N°6 (30/11/2016)

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the substance is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this substance.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this substance.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the substance is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
127-91-3	20 ppm			SEN; A4	
80-56-8	20 ppm			SEN; A4	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):







Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°8 (16/12/2019) ELIXENS FRANCE SAS

HE MENTHE PIPERITA INDE / PEPPERMINT OIL INDIA - MENPI100328

Date: 16/12/2019 Page 6/9

Revision: N°6 (30/11/2016)

- PVA (Polyvinyl alcohol)

Recommended properties:

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: Fluid liquid.

Color: Colourless to pale yellow Odour: characteristic, fresh and sweet

Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: Not specified.

Flash Point: 66.00 °C.

Vapour pressure (50°C): Not relevant.

Density: 0.900 - 0.916

Water solubility: Insoluble.

 $\begin{tabular}{lll} Viscosity: & v < 7 mm2/s (40 {\rm ^{\circ}C}) \\ Melting point/melting range: & Not specified. \\ Self-ignition temperature: & Not specified. \\ Decomposition point/decomposition range: & Not specified. \\ \end{tabular}$

9.2. Other information

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This substance is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid:

- humidity

10.5. Incompatible materials

Keep away from:

- water

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

Version: N°8 (16/12/2019) ELIXENS FRANCE SAS

HE MENTHE PIPERITA INDE / PEPPERMINT OIL INDIA - MENPI100328

Date: 16/12/2019 Page 7/9

Revision: N°6 (30/11/2016)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

May cause an allergic reaction by skin contact.

11.1.1. Substances

Acute toxicity:

CIS-3-OCTEN-1-OL (CAS: 20125-84-2)

Oral route: LD50 = 340 mg/kg

Dermal route : LD50 = 3300 mg/kg

Inhalation route (Dusts/mist): LC50 = 4 mg/l

Duration of exposure : 4 h

TERPINOLENE (CAS: 586-62-9)

Oral route: LD50 = 3850 mg/kg

ALPHA-PINENE (CAS: 80-56-8)

Oral route : LD50 = 3500 mg/kg

PULEGONE (CAS: 89-82-7)

Oral route : LD50 = 470 mg/kg

Dermal route : LD50 = 3090 mg/kg

EUCALYPTOL (CAS: 470-82-6)

Oral route: LD50 = 2480 mg/kg

L-MENTHOL (CAS: 2216-51-5)

Oral route: LD50 = 2600 mg/kg

Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 89-82-7: IARC Group 2B: The agent is possibly carcinogenic to humans.

SECTION 12: ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws):

WGK 3: Extremely hazardous for water.

Date: 16/12/2019 Page 8/9

Revision: N°6 (30/11/2016)

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the substance and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2019 - IMDG 2018 - ICAO/IATA 2019).

14.1. UN number

3082

14.2. UN proper shipping name

UN3082=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(menthyl acetate (isomer unspecified))

14.3. Transport hazard class(es)

- Classification:



9

14.4. Packing group

П

14.5. Environmental hazards

- Environmentally hazardous material :



14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375	E1	3	-
							601			

Not subject to this regulation if $Q \le 51/5 \text{ kg}$ (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation
								Handling	
	9	-	III	5 L	F-A, S-F	274 335 969	E1	Category A	-

Not subject to this regulation if $Q \le 51/5 \text{ kg}$ (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	9	III	964	450 L	964	450 L	A97 A158	E1
								A197	
	9	9	III	Y964	30 kg G	-	-	A97 A158	E1
								A197	

Not subject to this regulation if $Q \le 51/5 \text{ kg}$ (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Date: 16/12/2019 Page 9/9

Revision: N°6 (30/11/2016)

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

- Container information:

No data available.

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws):

WGK 3: Extremely hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the substance and not as a guarantee of the properties thereof.

N/A

Wording of the phrases mentioned in section ${\bf 3}$:

H226	Flammable liquid and vapour.

H228 Flammable solid. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H332 Harmful if inhaled. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.

Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.